

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	298	(noise NEAR3 distribution) WITH (uniform OR constant OR homogeneous)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 13:15
2	BRS	L2	115914	(line OR (one ADJ dimensional) OR 1D OR surface OR (two ADJ dimensional) OR 2D) ADJ3 (source OR emitter OR radiator)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:21
3	BRS	L3	20	1 AND 2	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 13:24
4	BRS	L4	24414	378/\$.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 13:34
5	BRS	L5	1008	2 AND 4	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 13:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	268402	(compute\$5 ADJ2 tomograph\$2) OR CT OR CAT	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 13:35
7	BRS	L7	369	5 AND 6	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:02
8	BRS	L8	5	inverted ADJ cone ADJ beam ADJ geometry	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:12
9	BRS	L9	273053	(modulat\$3 OR control\$4) NEAR3 (current OR (dwell ADJ time))	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:16
10	BRS	L10	835	4 AND 9	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	82	2 AND 10	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:17
12	BRS	L12	1558	current WITH edge WITH center	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:22
13	BRS	L13	77	2 AND 12	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:24
14	BRS	L14	14	(dwell ADJ time) WITH edge WITH center	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:27
15	BRS	L15	1	(sampling ADJ distance) WITH edge WITH center	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/17 14:31